



# **MultiXpress**

COLOUR & MONO A3 / A4 MULTIFUNCTION DEVICES

## A3 MONO SCX-8030ND / SCX-8040ND

The MultiXpress SCX-8030ND / SCX-8040ND is a productive, space-saving B&W MFP for the modern office. It can be deployed as the primary print device in small businesses or as a workgroup machine in larger enterprises. Sharing the same user interface and integration platform as other Samsung MFPs, it allows customers to standardise on Samsung devices throughout the office.

## SCX-8030ND / SCX-8040ND

## A3 MONO MULTIFUNCTION DEVICE

30/40 PAGES PER MINUTE. NETWORK READY. DUPLEX

Samsung's first A3 mono MFP is the perfect complement to its A4 devices. The ability to output over-size A3 and create A4 booklets allows Samsung to meet customers' office printing needs in their entirety. The SCX-8030ND / SCX-8040ND has everything you would expect in a departmental device: print speeds of 40/30ppm, A3 colour scanner, 160GB hard disk and adjustable colour display. Above all, it can be integrated with enterprise applications for streamlined business processes and improved device management.



#### Adjustable display

The control panel tilts and moves side-to-side for comfort and ease of use. An 8.9", colour LCD touch-screen provides easy navigation of menus. Buttons for power save and eco printing help cut toner, paper and energy use.



#### Flexible paper handling

Support for larger paper sizes up to SRA3 and media up to 253gsm in weight lets you produce high impact marketing material in-house, on demand. Sophisticated finishing options include a hole punch, stapler and booklet maker.



#### Simple paper loading

Large handles and adjustable paper guides ensure paper can be replenished quickly. A standard tray holds 1,040 sheets, minimising the need for user intervention and allowing long print runs to be completed without interruption.



### Intuitive 8.9in touch-screen

The touch-screen makes operation quick and easy. Pre-programme common copy jobs for no-fuss copying or use Samsung's XOA platform to customise the screen with your own branding and choice of functions, applications or workflows.



MultiXpress

MultiXpress SCX-8040ND

## User replaceable consumables

Quick access to user replaceable toner cartridges keeps servicing to a minimum and maximises machine uptime. LED warning lights and email alerts indicate when the imaging unit is at the end of its life and needs replacing.





1

Model Code		8030ND	8040ND
Overview Function		Print, Copy, Scan, Fax (Option), Network, Duplex	
Print	Speed (A4/Letter)	30 PPM	40 PPM
	First Print Out Time	< 9 sec	< 8 sec
	Resolution	Default: Up to 600 x 600 dpi effective output (600 x 600dpi) Max: Up to 9,600 x 600 dpi effective output (600 x 600 x 4dpi)	
	Emulation	PCL5e, PCL6, Postscript3, PDF 1.7+, XPS	
	Duplex	Default	
Сору	Speed (A4/Letter)	30 CPM 40 PPM	
	Resolution	Scan: 600 x 600dpi / Document feeder: up to 600 x 600dpi	
	First Copy Out Time	< 7 sec < 5.5 sec	
	Zoom Rate	25% ~ 400%	
	Multi Copy	9,999	
	Duplex Copy	Default	
	Copy Features	Quick Copy, Proof Copy, ID Card Copy, Poster Copy, N-up Copy, Booklet Copy, Book Copy, Copy Job Build, Covers, Edge Erase, Mar- gin Shift, Transparency (OHP) Interleaving, Job Interrupt and etc	
Scan	Scan Speed (B/W)	60 ipm (colour/mono, 300 dpi, A4/Letter LEF)	
	Scan Speed (Colour)	60 ipm (colour/mono, 300 dpi, A4/Letter LEF)	
	Scan Size Document	Max A3 or Ledger	
	Compatibility	Network TWAIN	
	Method	Flatbed/DADF	
	Resolution	Optical: 600x600 dpi / Enhanced: 4,800 x 4,800 dpi (Twain driver only)	
	Scan to	E-mail, USB, FTP, SMB, HDD, WebDAV, PC	
Fax	Compatibility	Super G3	
	Modem Speed	33,6 kbps	
	Resolution	Standard : 203 x 98 dpi / Fine : 203 x196 dpi / Super Fine : 300 x 300 dpi	
	Memory	HDD Back up	
	Auto Dial	Up to 500 numbers	
	Fax Feature	Speed Dial, Group, Dial, Color Fax(Send only), On-hook Dial, Auto Redial, Caller ID, Secure Reception, Polling, MailBox, Fax forwarding, Junk Fax Block List, etc.	
	Input Capacity and Types	Standard: 520 (Cassette) x 2 + 100 (MP Tray), Max: 1,140 (Standard) + 2,000 (High Capacity Feeder, option)	
Paper Handling	Output Capacity and Type	Standard: 500 (Centre Output Tray), Max: 3,250 (Booklet Finisher, option) +125(Job Separator) = 3375 sheets	
	Media Size	98 x 148 mm (3.85" x 5.83") ~ 216 x 1200 mm (8.5" x 47.2") Banner Size Printing : 216mm x 1200mm	
	Media Type	Bond, Index, Cover, Colour, Recycled, Pre-printed, Punched, Cotton, Letterhead, Transparency, Envelope, Label	
	ADF Capacity	100 (DADF)	
	ADF Document Size	A3, A4 LEF, A4 SEF, A5 LEF, A5 SEF, B4, B5 LEF, B5 SEF	
	Envelope Capacity	10 Sheets (MP Tray)	
General	LCD	8.9" Colour Touch-Panel LCD, 1024 x 600 (WSVGA)	
	Memory / Storage	512MB(Max 1GB)/250GB (Usable Space: 88GB)	
	OS Compatibility	Windows 2000/XP/2003/Vista/2008/7, Mac OS X10.5 ~10.6, Linux	
	Interface	USB 2.0 Device, USB 2.0 Host, Ethernet 10/100/1000 BASE TX	
	Noise Level	37dBA (Ready), 54dBA (Printing), 57dBA (Copying)	
	Dimension (WxDxH)	677.5 x 763 x 927.8 mm (including DADF )	
	Certification	CCC (ISO15408), IEEE P2600-2008 Compliance, WHQL	
	Network Security	SSL/TLS, IP sec, SNMPv3, IPv6, Protocol & Port Management, IP/MAC filtering	
	Power Consumption	Max 1.5kW( Ready : 250W, Low power : 40W, Sleep : 7W )	

Specification and design is subject to change without notice. Non-metric weights and measurements are approximate. All data is correct at time of creation, Samsung are not liable for errors or omissions.

